MING RUI
明瑞實業



NYLON CHIPS

Casino RFID Chips (Radio Frequency Identification)


The RFID Chips speed and accuracy using the 13.56 MHz technology allows us to help Casinos improve their performance in mission critical areas such as game speed, for an industry where time is money, being able to increase the speed of information is a huge benefit.

The each chip embeds a unique RFID tag, enabling real-time identification, tracking, and verification throughout the entire gaming process — from cage to table.

RFID technology transforms chip management from manual control to intelligent supervision.

By leveraging RFID technology for chip tracking, casino operators can mitigate risks related to forgeries and improve inventory accuracy. This solution not only enhances security but also simplifies the process of monitoring the flow of chips within the casino.

RFID is an essential solution



RFID TAG

RFID CHIPS & Casino AI Intelligent Digital Table System

The RFID Chips, when integrated with the Casino AI Intelligent Digital Table System, provide casinos with comprehensive control over chip circulation across the entire gaming floor. Each chip movement is securely verified and authorized at every operational stage, ensuring full compliance and traceability.


From acceptance into the Vault, Vault to Cage, Cage to Table/Chip Tray, and Table to Table back to Cage.

All movements are recorded in real time, allowing the operator to have total visibility and information of all chip movements and table performance, and significantly enhance security by ensuring that only authorized RFID chips are in active play.




1 COLOUR

Ø 40mm




Thickness 3.52 mm - Weight 12.3 g
- with metal insert

Ø 45mm



Thickness 3.48 mm - Weight 14.2 g
- with metal insert


Ø 50mm



Thickness 3.83 mm - Weight 21.9 g
- with metal insert

2 COLOURS - STYLE A


Ø 40mm





Thickness 3.52 mm - Weight 12.3 g
- with metal insert


Ø 45mm





Thickness 3.48 mm - Weight 14.2 g
- with metal insert

Ø 50mm







Thickness 3.83 mm - Weight 21.9 g
- with metal insert

2 COLOURS - STYLE B


Ø 40mm





Thickness 3.52mm - Weight 12.3 gr
- with metal insert


Ø 43mm





Thickness 3.37 mm - Weight 13.9 gr
- with metal insert

Ø 45mm






Thickness 3.48 mm - Weight 14.2 gr
- with metal insert

2 COLOURS - STYLE C


Ø 40mm





Thickness 3.52mm - Weight 12.3 gr
- with metal insert


Ø 43mm





Thickness 3.37 mm - Weight 13.9 gr
- with metal insert

Ø 45mm






Thickness 3.48 mm - Weight 14.2 gr
- with metal insert


2 COLOURS - STYLE D

Ø 40mm




Thickness 3.52 mm - Weight 12.3 g
- with metal insert

Ø 45mm



Thickness 3.48 mm - Weight 14.2 g
- with metal insert


Ø 50mm



Thickness 3.83 mm - Weight 21.9 g
- with metal insert

2 COLOURS - STYLE D


68*48mm





Thickness 4.6 mm - Weight 41 g
- with metal insert

81*56mm






Thickness 4.44 mm - Weight 56.8 g
- with metal insert

2 COLOURS - STYLE E


Ø 40mm





Thickness 3.52 mm - Weight 12.3 g
- with metal insert


Ø 45mm





Thickness 3.48 mm - Weight 14.2 g
- with metal insert

Ø 50mm






Thickness 3.83 mm - Weight 21.9 g
- with metal insert

2 COLOURS - STYLE E


68*48mm





Thickness 4.6 mm - Weight 41 g
- with metal insert

81*56mm








Thickness 4.44 mm - Weight 56.8 g
- with metal insert


2 COLOURS - INNER RING NUMBER STYLE A - 40 mm


Thickness 3.3 mm - Weight 12.3 gr -with metal insert














2 COLOURS - INNER RING NUMBER STYLE A - 45 mm

Thickness 3.3 mm - Weight 14.2 gr -with metal insert









3 COLOURS - STYLE A

Ø 40mm




Thickness 3.52 mm
- Weight 12.3 gr
- with metal insert

Ø 43mm




Thickness 3.37 mm
- Weight 13.9 gr
- with metal insert

Ø 45mm



Thickness 3.48 mm
- Weight 14.2 gr
- with metal insert


Ø 50mm



Thickness 3.83 mm
- Weight 21.9 gr
- with metal insert

3 COLOURS - STYLE A


68*48mm






Thickness 4.6 mm - Weight 41 g
- with metal insert

81*56mm






Thickness 4.44 mm - Weight 56.8 g
- with metal insert

3 COLOURS - STYLE B


Ø 40mm





Thickness 3.52mm - Weight 12.3 gr
- with metal insert


Ø 43mm





Thickness 3.37 mm - Weight 13.9 gr
- with metal insert

Ø 45mm






Thickness 3.48 mm - Weight 14.2 gr
- with metal insert

3 COLOURS - STYLE C


Ø 40mm





Thickness 3.52mm - Weight 12.3 gr
- with metal insert


Ø 43mm





Thickness 3.37 mm - Weight 13.9 gr
- with metal insert

Ø 45mm






Thickness 3.48 mm - Weight 14.2 gr
- with metal insert

3 COLOURS - STYLE D


Ø 40mm





Thickness 3.52mm - Weight 12.3 gr
- with metal insert


Ø 43mm





Thickness 3.37 mm - Weight 13.9 gr
- with metal insert

Ø 45mm






Thickness 3.48 mm - Weight 14.2 gr
- with metal insert


3 COLOURS - STYLE E

Ø 40mm




Thickness 3.52 mm
- Weight 12.3 gr
- with metal insert

Ø 43mm




Thickness 3.37 mm
- Weight 13.9 gr
- with metal insert

Ø 45mm



Thickness 3.48 mm
- Weight 14.2 gr
- with metal insert

Ø 50mm



Thickness 3.83 mm
- Weight 21.9 gr
- with metal insert

3 COLOURS - INNER RING TEXT STYLE A

Ø 40mm





Thickness 3.52 mm - Weight 12.3 g
- with metal insert


Ø 45mm





Thickness 3.48 mm - Weight 14.2 g
- with metal insert

Ø 50mm





Thickness 3.83 mm - Weight 21.9 g
- with metal insert

3 COLOURS - INNER RING TEXT STYLE B


Ø 40mm






Thickness 3.52mm - Weight 12.3 gr
- with metal insert


Ø 43mm





Thickness 3.37 mm - Weight 13.9 gr
- with metal insert

Ø 45mm








Thickness 3.48 mm - Weight 14.2 gr
- with metal insert


3 COLOURS - INNER RING NUMBER STYLE A - 40 mm


Thickness 3.3 mm - Weight 12.3gr -with metal insert























3 COLOURS - INNER RING NUMBER STYLE B - 43 mm

Thickness 3.3 mm - Weight 14 gr -with metal insert











3 COLOURS - INNER RING NUMBER STYLE B - 45 mm


Thickness 3.3 mm - Weight 14.1 gr -with metal insert
















3 COLOURS - INNER RING NUMBER STYLE B - 50 mm

Thickness 3.3 mm - Weight 21.9 gr -with metal insert







SECURITY FEATURES




SERIAL NUMBER




INVISIBLE U.V. INK



FLUORESCENCE MATERIALS



RFID TAG








SECURITY DETECTION - RFID Unique Chip ID







Use a sensor to read the chip ID

LABLE SURFACE EFFECT TYPES

*Listed are suggestions of some of the most used lable effects, but feel free to ask for more options.



LASER LABLE



GLOSSY LABLE



MATTE LABLE

PANTONE COLOUR CHART

*Listed are suggestions of some of the most used colours, but feel free to ask for more options.

